

Safety Data Sheet according to Regulation (EC) 'No. 2015/830



SE	SECTION 1: Identification of the Substance/Mixture and the Company/Undertaking					
1.1	Product Identifier	01086	Revision Date:	24/07/2020		
	Product Name:	STONCLAD GR C-1	Supersedes Date:	11/06/2019		
1.2	Relevant identified uses of the substance or mixture and uses advised against	Component of multicomponent indus	trial coatings - Industrial use.			
1.3	Details of the supplier of the safety	ety data sheet				
	Importer:	StonCor Europe 9, Rue du Travail - 1400 Nivelles, Belgium				
	Manufacturer:	Stonhard, Division of StonCor Group, Inc. 1000 East Park Avenue Maple Shade, NJ 08052				
		+1 856 7797500 (US)				
		Regulatory / Technical Information: +32 67493710 Nivelles, Belgium				
	Datasheet Produced by:	ehs@stonhard.com				
1.4	Emergency telephone number:	CHEMTREC +1 703 5273887 (Outside US)				

SECTION 2: Hazard Identification

2.1 Classification of the substance or mixture

Classification according to Classification, Labeling & Packaging Regulation (EC) 1272/2008

HAZARD STATEMENTS

Carcinogenicity, category 1A STOT, single exposure, category 1 H350-1A H370

2.2 Label elements

Symbol(s) of Product



Signal Word

Danger

Named Chemicals on Label

quartz (silicon dioxide)

HAZARD STATEMENTS

Carcinogenicity, category 1A STOT, single exposure, category 1 PRECAUTION PHRASES	H350-1A H370	May cause cancer. Causes damage to organs.
	P201	Obtain special instructions before use.
	P202	Do not handle until all safety precautions have been read and understood.
	P260	Do not breathe dust/fume/gas/mist/vapours/spray.
	P264	Wash hands thoroughly after handling.
	P284	Wear respiratory protection.
	P307+311	IF exposed, call a POISON CENTER or doctor/physician.
	P308+313	IF exposed or concerned: Get medical advice/attention.
	P314	Get medical advice/attention if you feel unwell.

2.3 Other hazards

No Information

Results of PBT and vPvB assessment:

The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.

SECTION 3: Composition/Information On Ingredients 3.2 **Mixtures Hazardous Ingredients** EINEC No. Name According to EEC CAS-No. <u>%</u> 14808-60-7 quartz (silicon dioxide) 238-878-4 50 - <75 CAS-No. REACH Reg No. **CLP Symbols CLP Hazard Statements M-Factors** 14808-60-7 GHS08 H350-370 Exempt

Additional Information: The text for CLP Hazard Statements shown above (if any) is given in Section 16.

SECTION 4: First-aid Measures

4.1 Description of First Aid Measures

GENERAL NOTES: No Information AFTER INHALATION: Move to fresh air. Consult a physician after significant exposure. AFTER SKIN CONTACT: Use a mild soap if available. Wash off with soap and plenty of water. AFTER EYE CONTACT: Rinse thoroughly with plenty of water, also under the eyelids. Remove contact lenses. If eye irritation persists, consult a specialist. **AFTER INGESTION:** Gently wipe or rinse the inside of the mouth with water. Give small amounts of water to drink. Never give anything by mouth to an unconscious person.

Self protection of the first aider:

No action shall be taken involving any personal risk or without suitable training. It may be dangerous to the person providing aid to give mouth-to-mouth resuscitation. Wash contaminated clothing thoroughly with water before removing it, or wear gloves.

4.2 Most important symptoms and effects, both acute and delayed

Harmful by inhalation.

4.3 Indication of any immediate medical attention and special treatment needed

No information available on clinical testing and medical monitoring. Specific toxicological information on substances, if available, can be found in section 11.

SECTION 5: Fire-fighting Measures

5.1 Extinguishing Media:

Carbon Dioxide, Dry Chemical, Foam, Water Fog

FOR SAFETY REASONS NOT TO BE USED: Alcohol, Alcohol based solutions, any other media not listed above.

5.2 Special hazards arising from the substance or mixture No Information

5.3 Advice for firefighters

None known. The product itself does not burn. In the event of fire, wear self-contained breathing apparatus. Water sprayDry powderAlcohol-resistant foamCarbon dioxide (CO2). High volume water jet. None.

SECTION 6: Accidental Release Measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation. Avoid dust formation. Use personal protective equipment.

6.2 Environmental precautions

No Information

6.3 Methods and material for containment and cleaning up

Pick up and transfer to properly labelled containers. No special environmental precautions required. After cleaning, flush away traces with water.

6.4 Reference to other sections

FURTHER INSTRUCTIONS: Please refer to EU disposal requirements or country specific disposal requirements for this material. See Section 13 for further information.

SECTION 7: Handling and Storage

7.1 Precautions for safe handling

Use only in area provided with appropriate exhaust ventilation. Provide sufficient air exchange and/or exhaust in work rooms. Wear personal protective equipment. Avoid dust formation. Protect from moisture. Wash hands before breaks and at the end of workday. Do not breathe dust. When using, do not eat, drink or smoke.

7.2 Conditions for safe storage, including any incompatibilities

CONDITIONS TO AVOID: No Information STORAGE CONDITIONS: Keep tightly closed in a dry and cool place.

7.3 Specific end use(s)

No specific advice for **end use** available.

SECTION 8: Exposure Controls/Personal Protection

8.1 Control parameters

Ingredients with Occupational Exposure Limits (UK WELS)

<u>Name</u> quartz (silicon dioxide)	<u>CAS-No.</u> 14808-60-7	LTEL ppm	STEL ppm	<u>STEL mg/m3</u>	<u>LTEL mg/m3</u>
Name	CAS-No. OEL No	te			
quartz (silicon dioxide)	14808-60-7				

FURTHER ADVICE: Refer to the regulatory exposure limits for the workforce enforced in each country. Some components may not have been classified under the EU CLP Regulation.

8.2 Exposure controls

Personal Protection RESPIRATORY PROTECTION: Effective dust mask. EYE PROTECTION: Safety glasses with side-shields. HAND PROTECTION: Protective gloves. Long sleeved clothing. Remove and wash contaminated clothing before re-use. OTHER PROTECTIVE EQUIPMENT: No Information ENGINEERING CONTROLS: Ensure adequate ventilation, especially in confined areas.

Chemical Name:

EC No.: CAS-No.:

DNELs - Derived no effect level

	Workers			Consumers				
Route of	Acute effect Acute effects Chronic Chronic effects		Acute effect	Acute effects	Chronic	Chronic effects		
Exposure	local	systemic	effects local	systemic	local	systemic	effects local	systemic
Oral	Not required							
Inhalation								
Dermal								

PNEC's - Predicted no effect concentration

Environmental protection target	PNEC
Fresh water	
Fresh water sediments	
Marine water	
Marine sediments	
Food chain	
Microorganisms in sewage treatment	
soil (agricultural)	
Air	

SECTION 9: Physical and Chemical Properties

9.1 Information on basic physical and chemical properties Appearance: Not determined

Physical State	Solid
Odor	ODORLESS
Odor threshold	Not determined
рН	N/A

	Melting point / freezing point (°C)	Not determined
	Boiling point/range (°C)	N.D N.D.
	Flash Point, (°C)	N/A
	Evaporation rate	Not determined
	Flammability (solid, gas)	Not determined
	Upper/lower flammability or explosive limits	N/A - N/A
	Vapour Pressure	NONE
	Vapour density	Not determined
	Relative density	Not determined
	Solubility in / Miscibility with water	INSOLUBLE
	Partition coefficient: n-octanol/water	Not determined
	Auto-ignition temperature (°C)	Not determined
	Decomposition temperature (°C)	Not determined
	Viscosity	N/A
	Explosive properties	Not determined
	Oxidising properties	Not determined
2	Other information VOC Content g/I: Grams of VOC per liter of coating product as a	0.00 applied (mixture of Part A and Part B) per ASTM D2369 Method E.
	Specific Gravity (g/cm3)	2.602

SECTION 10: Stability and Reactivity

10.1 Reactivity

9.2

No reactivity hazards known under normal storage and use conditions.

10.2 Chemical stability Stable under normal conditions.

- **10.3 Possibility of hazardous reactions** Hazardous polymerisation does not occur.
- **10.4 Conditions to avoid** No Information

10.5 Incompatible materials Do not store near acids. Strong oxidizing agents.

10.6 Hazardous decomposition products No hazardous decomposition products are known.

SECTION 11: Toxicological Information

11.1 Information on toxicological effects

Acute Toxicity:					
Oral LD50:	No Information				
Inhalation LC50:	No Information				

Irritation:	No information available.
Corrosivity:	No information available.
Sensitization:	No information available.
Repeated dose toxicity:	No information available.
Carcinogenicity:	No information available.
Mutagenicity:	No information available.
Toxicity for reproduction:	No information available.
STOT-single exposure:	No information available.
STOT-repeated exposure:	No information available.
Aspiration hazard:	No information available.

If no information is available above under Acute Toxicity then the acute effects of this product have not been tested. Data on individual components are tabulated below:

CAS-No.	Name According to EEC	Oral LD50	Dermal LD50	Vapor LC50	Gas LC50	Dust/Mist LC50
14808-60-7	quartz (silicon dioxide)	>2000 mg/kg			0.000	0.000

Additional Information:

This product may contain Quartz (silicon dioxide), which is listed by IARC as a known carcinogenic to humans (Group 1). This classification is relevant when exposed to Quartz (silicon dioxide) in dust or powder form only, including cured product that is subject to sanding, grinding, cutting, or other surface preparation activities.

SECTION 12: Ecological Information	
12.1 Toxicity:	

	l'oxioity:					
	EC50 48hr (Daphnia):	No information				
	IC50 72hr (Algae):	No information				
	LC50 96hr (fish):	No information				
12.2 Persistence and degradability:		No information				
12.3 Bioaccumulative potential:		No information				
12.4	Mobility in soil:	No information				
12.5 Results of PBT and vPvB assessment:		The product does not meet the criteria for PBT/VPvB in accordance with Annex XIII.				
12.6 Other adverse effects:		No information				
<u>CAS-</u>	No. Name According to EEC	<u>EC50 48hr</u>	<u>IC50 72hr</u>	<u>LC50 96hr</u>		
14808	8-60-7 quartz (silicon dioxide)	No information	No information			

SECTION 13: Disposal Considerations

13.1 WASTE TREATMENT METHODS: If recycling is not practicable, dispose of in compliance with local regulations. Waste codes should be assigned by the user based on the application for which the product was used. Empty containers should be taken to an approved waste handling site for recycling or disposal.

European Waste Code:	No Information
Packaging Waste Code:	150110

SECTION 14: Transport Information

14.1	UN number	N/A
14.2	UN proper shipping name	NOT REGULATED
	Technical name	N/A
14.3	Transport hazard class(es)	NONE
	Subsidiary shipping hazard	Not applicable
14.4	Packing group	Not applicable
14.5	Environmental hazards	Not applicable
14.6	Special precautions for user	Not applicable
	EmS-No.:	N/A
14.7	Transport in bulk according to Annex II of MARPOL 73/78 and the IBC code	Not applicable

SECTION 15: Regulatory Information

^{15.1} Safety, health and environmental regulations/legislation for the substance or mixture:

National Regulations:		
Denmark Product Registration Number:	Not available	
Danish MAL Code:	Not available	
Danish MAL Code - Mixture:	Not available	
Sweden Product Registration Number:	Not available	
Norway Product Registration Number:	Not available	
Germany WGK Class:	Not available	
Covered by Directive 2012/18/EC (Seveso III):	Not applicable	
Restrictions to product or to substances according to Annex XVII, Regulation (CE) 1907/2006:	Not applicable	

Annex XIV - Authorisation List:

CAS-No. Name According to EEC

Not Applicable

SVHC - Substances of very high concern (Candidate List):

CAS-No. Name According to EEC

Not Applicable

15.2 Chemical Safety Assessment:

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

SECTION 16: Other Information

Text for CLP Hazard Statements shown in Section 3 describing each ingredient:

H350May cause cancer.H370Causes damage to organs.

Reasons for revision

Substance and/or Product Properties Changed in Section(s): 08 - Exposure Controls/Personal Protection

This Safety Data Sheet (SDS) has been revised to meet updated national hazard communication standards which have adopted the provisions of the UN GHS system. There have been both formatting and content changes based on the GHS classification (if applicable), Please review each section of the SDS for specific changes. This Safety Data Sheet (SDS) has been revised to meet the new EU CLP requirements. There have been both formatting and content changes based on the CLP classification (if applicable), please review each section of the SDS for specific changes.

List of References:

This Safety Data Sheet was compiled with data and information from the following sources:

The Ariel Regulatory Database provided by the 3E Corporation in Copenhagen, Denmark; European Union Commission Regulation No. 1907/2006 on REACH as amended within Commission Regulation (EU) 2015/830; European Union (EC) Regulation No. 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) and subsequent technical progress adaptations (ATP); EU Council Decision 2000/532/EC and its Annex entitled "List of Wastes".

Acronym & Abbreviation Key:

21 D	
CLP	Classification, Labeling & Packaging Regulation
EC	European Commission
EU	European Union
US	United States
CAS	Chemical Abstract Service
EINECS	European Inventory of Existing Chemical Substances
REACH	Registration, Evaluation, Authorization of Chemicals Regulation
GHS	Globally Harmonized System of Classification and Labeling of Chemicals
LTEL	Long term exposure limit
STEL	Short term exposure limit
OEL	Occupational exposure limit
ppm	Parts per million
mg/m3	Milligrams per cubic meter
TLV	Threshold Limit Value
ACGIH	American Conference of Governmental Industrial Hygienists
OSHA	Occupational Safety & Health Administration
PEL	Permissible Exposure Limits
VOC	Volatile organic compounds

mg/kgMilligrams per kilogramN/ANot applicableLD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Air Transport AssociationMARPOLInternational Air Transport AssociationMARPOLInternational Bulk ContainerRTIRespiratory Tract IrritationNENarcotic Effects	g/l	Grams per liter
LD50Lethal dose at 50%LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCIBCInternational Bulk ContainerRTIRespiratory Tract Irritation	mg/kg	Milligrams per kilogram
LC50Lethal concentration at 50%EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation	N/A	Not applicable
EC50Half maximal effective concentrationIC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation	LD50	Lethal dose at 50%
IC50Half maximal inhibitory concentrationPBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation	LC50	Lethal concentration at 50%
PBTPersistent bioaccumulative toxic chemicalvPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation	EC50	Half maximal effective concentration
vPvBVery persistent and very bioaccumulativeEECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation	IC50	Half maximal inhibitory concentration
EECEuropean Economic CommunityADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation	PBT	Persistent bioaccumulative toxic chemical
ADRInternational Transport of Dangerous Goods by RoadRIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation	vPvB	Very persistent and very bioaccumulative
RIDInternational Transport of Dangerous Goods by RailUNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation	EEC	European Economic Community
UNUnited NationsIMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation	ADR	International Transport of Dangerous Goods by Road
IMDGInternational Maritime Dangerous Goods CodeIATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation	RID	International Transport of Dangerous Goods by Rail
IATAInternational Air Transport AssociationMARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation	UN	United Nations
MARPOLInternational Convention for the Prevention of Pollution From Ships, 1973 asmodified by the Protocol of 1978IBCInternational Bulk ContainerRTIRespiratory Tract Irritation	IMDG	International Maritime Dangerous Goods Code
modified by the Protocol of 1978 IBC International Bulk Container RTI Respiratory Tract Irritation	IATA	International Air Transport Association
IBC International Bulk Container RTI Respiratory Tract Irritation	MARPOL	International Convention for the Prevention of Pollution From Ships, 1973 as
RTI Respiratory Tract Irritation	modified by the Protocol of 1978	
	IBC	International Bulk Container
NE Narcotic Effects	RTI	Respiratory Tract Irritation
	NE	Narcotic Effects

For further information, please contact: Technical Services Department

The information on this sheet corresponds to our present knowledge. It is not a specification and it does not guarantee specific properties. The information is intended to provide general guidance as to health and safety based upon our knowledge of the handling, storage, and use of the product. It is not applicable to unusual or non-standard uses of the product or where instructions and recommendations are not followed.