

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

(This safety data sheet is for information only and does not comply with the official language requirements of article 31 (5) of REACH.)

## IB50SF, IB20FL

Version number: 2.0

Replaces version of: 22.02.2024 (1)

Revision: 09.10.2025

First version: 22.02.2024

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **IB50SF, IB20FL**

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses Building material

#### 1.3 Details of the supplier of the safety data sheet

PAGEL Spezial-Beton GmbH & Co. KG	Telephone: +49 201/68504-0
Wolfsbankring 9	Telefax: +49 201/68504-31
45355 Essen	e-mail: info@pagel.com
Germany	Website: www.pagel.com
<b>e-mail (competent person)</b>	schempershove@pagel.de, labor@pagel.de

#### 1.4 Emergency telephone number

Poison centre		
Name	Telephone	Telefax
GBK GmbH	Emergency CONTACT (24-Hour-Number): +49 (0)6132-84463	

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Classification				
Section	Hazard class	Category	Hazard class and category	Hazard statement
3.2	skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.8R	specific target organ toxicity - single exposure (respiratory tract irritation)	3	STOT SE 3	H335

For full text of abbreviations: see SECTION 16

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

**Signal word** danger

#### Pictograms

GHS05, GHS07



#### Hazard statements

**H315** Causes skin irritation.  
**H318** Causes serious eye damage.  
**H335** May cause respiratory irritation.

#### Precautionary statements

**P101** If medical advice is needed, have product container or label at hand.  
**P102** Keep out of reach of children.  
**P261** Avoid breathing dust.  
**P280** Wear protective gloves/protective clothing/eye protection/face protection.  
**P302+P352** IF ON SKIN: Wash with plenty of soap and water.  
**P305+P351+P338** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
**P310** Immediately call a POISON CENTER/doctor.  
**P501** Dispose of contents/container to an authorized waste treatment facility.

**Hazardous ingredients for labelling** portland cement  
flue dust, portland cement

**Additional labelling requirements** see section 15 of the safety data sheet

## 2.3 Other hazards

The product develops an alkaline pH value with moisture and can cause irritation. The product contains chromate reducer, which results in a content of water-soluble chrome (VI) of less than 0.0002 %. In case of improper storage (moisture ingress) or storage exceeding the recommended storage time, however, the contained chromate reducer may lose its effect prematurely and a sensitising effect of the cement/binder can occur upon skin contact (H317 and EUH203). The preparation is low in chromium. The content of soluble chromium (VI) compounds has been lowered with agent to below 2 ppm in the cement portion. Proper storage and compliance with the expiration date is a prerequisite for the effectiveness of the chromate reduction.

#### Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0,1\%$ .

#### Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

**SECTION 3: Composition/information on ingredients****3.1 Substances**

Not relevant (mixture).

**3.2 Mixtures****Description of the mixture**

<b>Hazardous ingredients</b>					
<b>Name of substance</b>	<b>Identifier</b>	<b>Wt%</b>	<b>Classification acc. to GHS</b>	<b>Pictograms</b>	<b>Notes</b>
quartz	CAS No 14808-60-7  EC No 238-878-4	< 75	-	-	IOELV
portland cement	CAS No 65997-15-1  EC No 266-043-4	< 50	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Skin Sens. 1B / H317 STOT SE 3 / H335		-
flue dust, portland cement	CAS No 68475-76-3  EC No 270-659-9	< 5	Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Skin Sens. 1 / H317 STOT SE 3 / H335		-

**Notes**

IOELV: Substance with a community indicative occupational exposure limit value

**Remarks**

For full text of H-phrases: see SECTION 16

**SECTION 4: First aid measures****4.1 Description of first aid measures****General notes**

Take off immediately all contaminated clothing.

In all cases of doubt, or when symptoms persist, seek medical advice.

In case of unconsciousness place person in the recovery position. Never give anything by mouth.

**Following inhalation**

Provide fresh air.

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

In case of respiratory tract irritation, consult a physician.

**Following skin contact**

After contact with skin, take off immediately all contaminated clothing, and wash immediately with

plenty of water and soap.

Brush off loose particles from skin.

If skin irritation or rash occurs: Get medical advice/attention.

### **Following eye contact**

Rinse immediately carefully and thoroughly with eye shower or water.

Remove contact lenses, if present and easy to do. Continue rinsing.

Get immediate medical advice/attention.

### **Following ingestion**

Rinse mouth immediately and drink plenty of water.

Do NOT induce vomiting.

Get immediate medical advice/attention.

### **Notes for the doctor**

None.

## **4.2 Most important symptoms and effects, both acute and delayed**

Cough, pain, choking, and breathing difficulties.

Risk of serious damage to eyes.

## **4.3 Indication of any immediate medical attention and special treatment needed**

None.

## **SECTION 5: Firefighting measures**

### **5.1 Extinguishing media**

#### **Suitable extinguishing media**

co-ordinate firefighting measures to the fire surroundings

### **5.2 Special hazards arising from the substance or mixture**

Hazardous decomposition products: Section 10.

### **5.3 Advice for firefighters**

Non-combustible.

In case of fire and/or explosion do not breathe fumes.

Co-ordinate firefighting measures to the fire surroundings.

Do not allow firefighting water to enter drains or water courses.

Collect contaminated firefighting water separately.

Fight fire with normal precautions from a reasonable distance.

#### **Special protective equipment for firefighters**

self-contained breathing apparatus (EN 133)

## **SECTION 6: Accidental release measures**

### **6.1 Personal precautions, protective equipment and emergency procedures**

#### **For non-emergency personnel**

Remove persons to safety.

Ventilate affected area.

Control of dust.

Do not breathe dust.

Do not get in eyes, on skin, or on clothing.

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing.

### **For emergency responders**

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

## **6.2 Environmental precautions**

Keep away from drains, surface and ground water.

Retain contaminated washing water and dispose of it.

If substance has entered a water course or sewer, inform the responsible authority.

## **6.3 Methods and material for containment and cleaning up**

### **Advice on how to contain a spill**

Covering of drains.

Take up mechanically.

### **Advice on how to clean up a spill**

Take up mechanically.

Collect spillage.

Vacuuming techniques.

Approved industrial vacuum cleaner.

### **Other information relating to spills and releases**

Place in appropriate containers for disposal.

Ventilate affected area.

## **6.4 Reference to other sections**

Personal protective equipment: see section 8.

Incompatible materials: see section 10.

Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

### **7.1 Precautions for safe handling**

Do not get in eyes, on skin, or on clothing.

Do not breathe dust.

### **Measures to prevent fire as well as aerosol and dust generation**

Use local and general ventilation.

Removal of dust deposits.

### **Specific notes/details**

Dust deposits may accumulate on all deposition surfaces in a technical room.

When diluting, always stir the product into standing water.

### **Handling of incompatible substances or mixtures**

Do not mix with acids.

### **Keep away from**

aluminium, ammonium compounds, metals

**Measures to protect the environment**

Avoid release to the environment.

Do not empty into drains; dispose of this material and its container at hazardous or special waste collection point.

**Advice on general occupational hygiene**

Do not eat, drink and smoke in work areas.

Wash hands after use.

Preventive skin protection (barrier creams/ointments) is recommended.

Remove contaminated clothing and protective equipment before entering eating areas.

**7.2 Conditions for safe storage, including any incompatibilities****Flammability hazards**

None.

**Incompatible substances or mixtures**

Incompatible materials: see section 10.

Observe hints for combined storage.

**Protect against external exposure, such as**

humidity

**Consideration of other advice**

Keep away from food, drink and animal feedingstuffs.

Store in a dry place. Store in a closed container.

**Ventilation requirements**

Provision of sufficient ventilation.

**Specific designs for storage rooms or vessels**

Keep container tightly closed and in a well-ventilated place.

**Packaging compatibilities**

Keep only in original container.

Unsuitable materials: Aluminium.

**7.3 Specific end use(s)**

No information available.

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters**

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Notation	Source
DE	dust	-	MAK	-	4	-	-	i	DFG
DE	dust	-	AGW	-	10	-	20	Y, i	TRGS 900
DE	dust	-	AGW	-	1,25	-	2,5	Y, r	TRGS 900

# IB50SF, IB20FL

Version number: 2.0

Revision: 09.10.2025

Occupational exposure limit values (Workplace Exposure Limits)									
Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m³]	STEL [ppm]	STEL [mg/m³]	Notation	Source
DE	dust	-	MAK	-	0,3	-	2,4	r, ex-uf-dust	DFG
DE	Quarzhaltiger Staub	14808-60-7	AGW	-	0,05	-	0,4	-	TRGS 559
EU	crystalline silica	14808-60-7	IOELV	-	0,1	-	-	dust, r	2017/2398/EU

## Notation

dust as dust

ex-uf-dust except ultrafine particles

i inhalable fraction

r respirable fraction

STEL short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Y a risk of developmental toxicity does not need to be expected if the occupational exposure limit value and the biological limit value (BGW) are adhered to

## Human health values

Relevant DNELs of components						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
flue dust, portland cement	68475-76-3	DNEL	0,84 mg/m³	human, inhalatory	worker (industry)	chronic - local effects

## Environmental values

Relevant PNECs of components				
Name of substance	CAS No	Endpoint	Threshold level	Environmental compartment
flue dust, portland cement	68475-76-3	PNEC	282 µg/l	freshwater
flue dust, portland cement	68475-76-3	PNEC	28 µg/l	marine water
flue dust, portland cement	68475-76-3	PNEC	6 mg/l	sewage treatment plant (STP)
flue dust, portland cement	68475-76-3	PNEC	875 µg/kg	freshwater sediment
flue dust, portland cement	68475-76-3	PNEC	88 µg/kg	marine sediment
flue dust, portland cement	68475-76-3	PNEC	5 mg/kg	sediments

## 8.2 Exposure controls

### Appropriate engineering controls

Use local and general ventilation.

### Individual protection measures (personal protective equipment)

#### Eye/face protection

Wear eye/face protection. (EN 166)

#### Hand protection

<b>Protective gloves</b>		
<b>Material</b>	<b>Material thickness</b>	<b>Breakthrough times of the glove material</b>
no information available	no information available	no information available

Wear suitable gloves.

Chemical protection gloves are suitable, which are tested according to EN 374.

Check leak-tightness/impermeability prior to use.

#### Body protection

Protective clothing for use against solid particulates.

(EN 13832, EN 340, EN 13034, EN 14605).

#### Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Particulate filter device (EN 143).

P1 (filters at least 80 % of airborne particles, colour code: White).

P2 (filters at least 94 % of airborne particles, colour code: White).

#### Environmental exposure controls

Use appropriate container to avoid environmental contamination.

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

<b>Physical state</b>	solid
<b>Colour</b>	grey - white
<b>Odour</b>	characteristic
<b>Melting point/freezing point</b>	>770 °C (CAS 68475-76-3)
<b>Boiling point or initial boiling point and boiling range</b>	not determined (melting point)
<b>Flammability</b>	non-combustible
<b>Lower and upper explosion limit</b>	not applicable

	(solid)
<b>Flash point</b>	not applicable
<b>Auto-ignition temperature</b>	not applicable (solid)
<b>Decomposition temperature</b>	not relevant
<b>pH (value)</b>	alkaline (suspension)
<b>Viscosity</b>	not relevant (solid)
<b>Solubility(ies)</b>	
Water solubility	not determined
<b>Partition coefficient n-octanol/water (log value)</b>	not determined
<b>Vapour pressure</b>	not determined
<b>Density and/or relative density</b>	
Density	not determined
Relative vapour density	not relevant (solid)
<b>Particle characteristics</b>	no data available

## 9.2 Other information

<b>Information with regard to physical hazard classes</b>	hazard classes acc. to GHS (physical hazards): not relevant
<b>Other safety characteristics</b>	there is no additional information

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

Reactions with light metals to form hydrogen.

### 10.4 Conditions to avoid

Protect from moisture.

**10.5 Incompatible materials**

acids, aluminium, ammonium compounds, metals

**10.6 Hazardous decomposition products**

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known.

**SECTION 11: Toxicological information****11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008****Classification procedure**

If not otherwise specified the classification is based on:

Ingredients of the mixture (additivity formula).

**Classification according to GHS (1272/2008/EC, CLP)****Acute toxicity**

Test data are not available for the complete mixture.

<b>Acute toxicity of components</b>							
<b>Name of substance</b>	<b>CAS No</b>	<b>Exposure route</b>	<b>End-point</b>	<b>Value</b>	<b>Species</b>	<b>Method</b>	<b>Source</b>
flue dust, portland cement	68475-76-3	oral	LD0	>1.848 mg/kg	rat	OECD Guideline 422	ECHA
flue dust, portland cement	68475-76-3	dermal	LD0	≥2.000 mg/kg	rat	OECD Guideline 402	ECHA
flue dust, portland cement	68475-76-3	inhalation: dust/mist	LC50	>6,04 mg /l/4h	rat	OECD Guideline 436	ECHA

**Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/eye irritation**

Causes serious eye damage.

**Respiratory or skin sensitisation****Skin sensitisation**

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

**Respiratory sensitisation**

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

**Germ cell mutagenicity**

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

**Carcinogenicity**

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

**Reproductive toxicity**

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

**Specific target organ toxicity - single exposure**

May cause respiratory irritation.

**Specific target organ toxicity - repeated exposure**

Classification could not be established because:

Data are lacking, inconclusive, or conclusive but not sufficient for classification.

**Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

**11.2 Information on other hazards****Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

**SECTION 12: Ecological information****12.1 Toxicity****Aquatic toxicity (acute)**

Based on available data, the classification criteria are not met.

**Aquatic toxicity (acute) of components**

Name of substance	CAS No	Endpoint	Exposure time	Value	Species	Method	Source
flue dust, portland cement	68475-76-3	ErC50	72 h	28,2 mg/l	algae (Desmodesmus subspicatus)	OECD Guideline 201	ECHA
flue dust, portland cement	68475-76-3	ErC50	72 h	22,4 mg/l	algae (Desmodesmus subspicatus)	OECD Guideline 201	ECHA

**Aquatic toxicity (chronic)**

Based on available data, the classification criteria are not met.

**Aquatic toxicity (chronic) of components**

Name of substance	CAS No	Endpoint	Exposure time	Value	Species	Method	Source
flue dust, portland cement	68475-76-3	EL10	21 d	68,2 mg/l	daphnia magna	OECD Guideline 211	ECHA

**12.2 Persistence and degradability****Biodegradation**

The study does not need to be conducted, the relevant substances in the mixture are inorganic.

**Persistence**

No data available.

**12.3 Bioaccumulative potential**

No data available.

**12.4 Mobility in soil**

No data available.

**12.5 Results of PBT and vPvB assessment**

Does not contain a PBT-/vPvB-substance at a concentration of  $\geq 0,1\%$ .

**12.6 Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) at a concentration of  $\geq 0,1\%$ .

**12.7 Other adverse effects**

No data available.

**Remarks**

Wassergefährdungsklasse, WGK (water hazard class): 1.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

This material and its container must be disposed of as hazardous waste.

**Sewage disposal-relevant information**

Do not empty into drains.

**Waste treatment of containers/packagings**

Completely emptied packages can be recycled.

Handle contaminated packages in the same way as the substance itself.

**Remarks**

Please consider the relevant national or regional provisions.

**SECTION 14: Transport information**

<b>14.1</b>	<b>UN number or ID number</b>	not subject to transport regulations
<b>14.2</b>	<b>UN proper shipping name</b>	-
<b>14.3</b>	<b>Transport hazard class(es)</b>	-
<b>14.4</b>	<b>Packing group</b>	-
<b>14.5</b>	<b>Environmental hazards</b>	-
<b>14.6</b>	<b>Special precautions for user</b>	-
<b>14.7</b>	<b>Maritime transport in bulk according to IMO instruments</b>	-

**SECTION 15: Regulatory information****15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture****Relevant provisions of the European Union (EU)****Restrictions according to REACH, Annex XVII**

Name	Name acc. to inventory	CAS No	Restriction
flue dust, portland cement	chromium(VI) compounds	-	R47

**Legend**

R47 1. Cement and cement-containing mixtures shall not be placed on the market, or used, if they contain, when hydrated, more than 2 mg/kg (0,0002 %) soluble chromium VI of the total dry weight of the cement.

2. If reducing agents are used, then without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of cement or cement-containing mixtures is visibly, legibly and indelibly marked with information on the packing date, as well as on the storage conditions and the storage period appropriate to maintaining the activity of the reducing agent and to keeping the content of soluble chromium VI below the limit indicated in paragraph 1.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the placing on the market for, and use in, controlled closed and totally automated processes in which cement and cement-containing mixtures are handled solely by machines and in which there is no possibility of contact with the skin.

4. The standard adopted by the European Committee for Standardization (CEN) for testing the water-soluble chromium (VI) content of cement and cement-containing mixtures shall be used as the test method for demonstrating conformity with paragraph 1.

5. Leather articles coming into contact with the skin shall not be placed on the market where they contain chromium VI in concentrations equal to or greater than 3 mg/kg (0,0003 % by weight) of the total dry weight of the leather.

6. Articles containing leather parts coming into contact with the skin shall not be placed on the market where any of those leather parts contains chromium VI in concentrations equal to or greater than 3 mg/kg (0,0003 % by weight) of the total dry weight of that leather part.

7. Paragraphs 5 and 6 shall not apply to the placing on the market of second-hand articles which were in end-use in the Union before 1 May 2015.

**List of substances subject to authorisation (REACH, Annex XIV) / SVHC - candidate list**

None of the ingredients are listed.

**Seveso Directive**

Not assigned.

**Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)**

None of the ingredients are listed.

**Regulation on the marketing and use of explosives precursors**

None of the ingredients are listed.

**Regulation on drug precursors**

None of the ingredients are listed.

**Regulation on substances that deplete the ozone layer (ODS)**

None of the ingredients are listed.

**Regulation concerning the export and import of hazardous chemicals (PIC)**

None of the ingredients are listed.

**Regulation on persistent organic pollutants (POP)**

None of the ingredients are listed.

**National regulations (Germany)****Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen (Ordinance on facilities for handling substances hazardous to water) (AwSV)**

Wassergefährdungsklasse, WGK 1  
(water hazard class) - classification acc. to annex 1 (AwSV)

**Technical instructions on air quality control (Germany)**

Not assigned.

**Storage of hazardous substances in non-stationary containers (TRGS 510) (Germany)**

Storage class (LGK) 13  
(non-combustible solids)

**Chemikalien-Verbotsverordnung (Chemicals Prohibition Ordinance) - ChemVerbotsV**

none of the ingredients are listed

**Other information**

Observe employment restrictions for young people according to § 22 JArbSchG.

Observe occupational restrictions for mothers acc. to §§ 11 and 12 MuSchG!

**15.2 Chemical Safety Assessment**

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

**SECTION 16: Other information****Indication of changes (revised safety data sheet)**

Section	Former entry (text/value)	Actual entry (text/value)
1.4	-	Poison centre: change in the listing (table)
2.3	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance at a concentration of ≥ 0,1%.
8.1	-	Occupational exposure limit values (Workplace Exposure Limits): change in the listing (table)

**Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
2017/2398/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
AGW	Workplace exposure limit
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DFG	Deutsche Forschungsgemeinschaft MAK- und BAT-Werte-Liste, Senatskommission zur Prüfung gesundheitsschädlicher Arbeitsstoffe, Wiley-VCH, Weinheim
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (Ec50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United

# IB50SF, IB20FL

Version number: 2.0

Revision: 09.10.2025

Abbr.	Descriptions of used abbreviations
	Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LGK	Lagerklasse (storage class according to TRGS 510, Germany)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TRGS	Technische Regeln für Gefahrstoffe (technical rules for hazardous substances, Germany)
TRGS 900	Arbeitsplatzgrenzwerte (TRGS 900)
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures, Version 2023/707/EU.  
Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU  
Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN).  
International Maritime Dangerous Goods Code (IMDG).  
Dangerous Goods Regulations (DGR) for the air transport (IATA).

## Classification procedure

Physical and chemical properties.  
Health hazards.

# IB50SF, IB20FL

Version number: 2.0

Revision: 09.10.2025

Environmental hazards.

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.

## Responsible for the safety data sheet

C.S.B. GmbH  
Dujardinstr. 5  
47829 Krefeld  
Germany

Telephone: +49 (0) 2151 - 652086 - 0  
Telefax: +49 (0) 2151 - 652086 - 9  
e-Mail: [info@csb-compliance.com](mailto:info@csb-compliance.com)  
Website: [www.csb-compliance.com](http://www.csb-compliance.com)

## Disclaimer

This information is based upon the present state of our knowledge.  
This SDS has been compiled and is solely intended for this product.